

2 CAT

U	Purpose	Type & Accessories	W	Color	Tpl	Di	Chn
1	FOH WORKS	FAR CYC	1kw	NC		12	(202)
2	LECTURE WASH DL	SOURCE FOUR 26	575w	R119		15	(26)
3	APRON WASH DL	SOURCE FOUR 14	575w	R119		13	(21)
4	FRONT DL COOL	SOURCE FOUR 14	575w	L202+R119		14	(11)
5	ASL SPCL	SOURCE FOUR 19	575w	R119		18	(115)
6	FRONT DL WARM	SOURCE FOUR 14	575w	R119		16	(1)
7	LECTURE WASH DLC	SOURCE FOUR 26	575w	R119		17	(27)
8	APRON WASH DLC	SOURCE FOUR 14	575w	R119		19	(22)
9	FRONT DLC COOL	SOURCE FOUR 14	575w	L202+R119		20	(12)
10	FRONT DLC WARM	SOURCE FOUR 14	575w	R119		21	(2)
11	FOH HOUSE	FAR CYC	1kw	NC		22	(201)
12	LECTURE WASH DC	SOURCE FOUR 26	575w	R119		23	(28)
13	APRON WASH DC	SOURCE FOUR 14	575w	R119		24	(23)
14	FRONT DC COOL	SOURCE FOUR 14	575w	L202+R119		25	(13)
15	FRONT DC WARM	SOURCE FOUR 14	575w	R119		26	(3)
16	FOH HOUSE	FAR CYC	1kw	NC		29	(201)
17	LECTURE WASH DRC	SOURCE FOUR 26	575w	R119		30	(29)
18	APRON WASH DRC	SOURCE FOUR 14	575w	R119		31	(24)
19	FRONT DRC COOL	SOURCE FOUR 14	575w	L202+R119		32	(14)
20	FRONT DRC WARM	SOURCE FOUR 14	575w	R119		33	(4)
21	APRON WASH DRC	SOURCE FOUR 14	575w	R119		34	(25)
22	FRONT DR COOL	SOURCE FOUR 14	575w	L202+R119		35	(15)
23	FRONT DR WARM	SOURCE FOUR 14	575w	R119		36	(5)
24	PODIUM SPECIAL	SOURCE FOUR 14	575w	R119		38	(114)
25	FOH WORKS	FAR CYC	1kw	NC		41	(202)
26	LECTURE WASH DR	SOURCE FOUR 26	575w	R119		40	(30)

1 CAT

U	Purpose	Type & Accessories	W	Color	Tmpl	Di	Chn
1	CURTAIN WARMER	SOURCE FOUR 50	575w	R26		55	(113)
2	</ FOH COOL	SOURCE FOUR 26	575w	L161+R119		54	(81)
3	</ FOH WARM	SOURCE FOUR 26	575w	R17+R119		56	(91)
4	</ FOH COOL	SOURCE FOUR 26	575w	L161+R119		57	(81)
5	FOH WORKS	FAR CYC	1kw	NC		50	(202)
6	</ FOH WARM	SOURCE FOUR 26	575w	R17+R119		58	(91)
7	FRONT UL COOL	SOURCE FOUR 26	575w	L202+R119		68	(16)
8	FRONT UL WARM	SOURCE FOUR 26	575w	R119		69	(6)
9	DL SPCL	SOURCE FOUR 19	575w	NC		70	(101)
10	FRONT ULC COOL	SOURCE FOUR 26	575w	L202+R119		71	(17)
11	FRONT ULC WARM	SOURCE FOUR 26	575w	R119		76	(7)
12	FRONT UC COOL	SOURCE FOUR 26	575w	L202+R119		77	(18)
13	DC SPCL	SOURCE FOUR 19	575w	NC		78	(102)
14	FRONT UC WARM	SOURCE FOUR 26	575w	R119		79	(8)
15	FRONT URC COOL	SOURCE FOUR 26	575w	L202+R119		81	(19)
16	FRONT URC WARM	SOURCE FOUR 26	575w	R119		72	(9)
17	DR SPCL	SOURCE FOUR 19	575w	NC		73	(103)
18	FRONT UR COOL	SOURCE FOUR 26	575w	L202+R119		74	(20)
19	FRONT UR WARM	SOURCE FOUR 26	575w	R119		75	(10)
20	FOH WORKS	FAR CYC	1kw	NC		59	(202)
21	\> FOH COOL	SOURCE FOUR 26	575w	L161+R119		60	(85)
22	\> FOH WARM	SOURCE FOUR 26	575w	R17+R119		61	(95)
23	\> FOH COOL	SOURCE FOUR 26	575w	L161+R119		62	(85)
24	\> FOH WARM	SOURCE FOUR 26	575w	R17+R119		63	(95)
25	CURTAIN WARMER	SOURCE FOUR 50	575w	R26		64	(113)

1 ELEC

U	Purpose	Type & Accessories	W	Color	Tmpl	Di	Chn
1	</ DR COOL	SOURCE FOUR 36	575w	L161+R119		84	(82)
2	</ DR WARM	SOURCE FOUR 36	575w	R17+R119		85	(92)
3	</ DL COOL	SOURCE FOUR 36	575w	L161+R119		84	(82)
4	</ DL WARM	SOURCE FOUR 36	575w	R17+R119		85	(92)
5	DL BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		89	(61)
6	DLC SPCL	SOURCE FOUR 36	575w	NC		92	(104)
7	DLC BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		93	(62)
8	DC SPCL	SOURCE FOUR 36	575w	NC		96	(105)
9	DC BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		97	(63)
10	DRC BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		100	(64)
11	DRC SPCL	SOURCE FOUR 36	575w	NC		101	(106)
12	DR BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		104	(65)
13	\> DL WARM	SOURCE FOUR 36	575w	R17+R119		108	(96)
14	\> DL COOL	SOURCE FOUR 36	575w	L161+R119		109	(86)
15	\> DR WARM	SOURCE FOUR 36	575w	R17+R119		108	(96)
16	\> DR COOL	SOURCE FOUR 36	575w	L161+R119		109	(86)

2 ELEC

U	Purpose	Type & Accessories	W	Color	Tmpl	Di	Chn
1	BAX DL	SOURCE FOUR PAR WFL	575w	G099		115	(41)
1	string 2	CXI IT color mix	575w			514	(41)
1	string 1	CXI IT color mix	575w			513	(41)
2	STAGE WORKS	FAR CYC	1kw	NC		116	(203)
3	BAX DLC	SOURCE FOUR PAR WFL	575w	G099		117	(42)
3	string 2	CXI IT color mix	575w			516	(42)
3	string 1	CXI IT color mix	575w			515	(42)
4	STAGE WORKS	FAR CYC	1kw	NC		118	(203)
5	BAX DC	SOURCE FOUR PAR WFL	575w	G099		119	(43)
5	string 1	CXI IT color mix	575w			517	(43)
5	string 2	CXI IT color mix	575w			518	(43)
6	STAGE WORKS	FAR CYC	1kw	NC		120	(203)
7	BAX DRC	SOURCE FOUR PAR WFL	575w	G099		121	(44)
7	string 2	CXI IT color mix	575w			520	(44)
7	string 1	CXI IT color mix	575w			519	(44)
8	BAX	SOURCE FOUR PAR WFL	575w	G099		122	(45)
8	string 2	CXI IT color mix	575w			522	(45)
8	string 1	CXI IT color mix	575w			521	(45)
9	STAGE WORKS	FAR CYC	1kw	NC		123	(203)

3 ELEC

U	Purpose	Type & Accessories	W	Color	Tmpl	Di	Chn
1	</ MR COOL	SOURCE FOUR 36	575w	L161+R119		130	(83)
2	</ MR WARM	SOURCE FOUR 36	575w	R17+R119		129	(93)
3	</ ML COOL	SOURCE FOUR 36	575w	L161+R119		130	(83)
4	</ ML WARM	SOURCE FOUR 36	575w	R17+R119		129	(93)
5	ML BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		132	(66)
6	ML SPCL	SOURCE FOUR 36	575w	NC		134	(107)
7	MLC BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		135	(67)
8	MC SPCL	SOURCE FOUR 36	575w	NC		136	(108)
9	MC BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		137	(68)
10	MRC BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		139	(69)
11	MR SPCL	SOURCE FOUR 36	575w	NC		140	(109)
12	MR BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		141	(70)
13	\> ML WARM	SOURCE FOUR 36	575w	R17+R119		142	(97)
14	\> ML COOL	SOURCE FOUR 36	575w	L161+R119		143	(87)
15	\> MR WARM	SOURCE FOUR 36	575w	R17+R119		142	(97)
16	\> MR COOL	SOURCE FOUR 36	575w	L161+R119		143	(87)

4 ELEC

U	Purpose	Type & Accessories	W	Color	Tmpl	Di	Chn
1	</ UR COOL	SOURCE FOUR 36	575w	L161+R119		146	(84)
2	</ UR WARM	SOURCE FOUR 36	575w	R17+R119		147	(94)
3	</ UL COOL	SOURCE FOUR 36	575w	L161+R119		146	(84)
4	</ UL WARM	SOURCE FOUR 36	575w	R17+R119		147	(94)
5	BAX ML	SOURCE FOUR PAR WFL	575w	G099		148	(46)
5	string 2	CXI IT color mix	575w			524	(46)
5	string 1	CXI IT color mix	575w			523	(46)
6	UL BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		149	(71)
7	</ DL DIAG BAX	SOURCE FOUR 50	575w	R119		150	(31)
8	</ DC DIAG BAX	SOURCE FOUR 50	575w	R119		150	(31)
9	</ DR DIAG BAX	SOURCE FOUR 50	575w	R119		150	(31)
10	BAX MLC	SOURCE FOUR PAR WFL	575w	G099		151	(47)
10	string 2	CXI IT color mix	575w			526	(47)
10	string 1	CXI IT color mix	575w			525	(47)
11	ULC BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		152	(72)
12	BAX MC	SOURCE FOUR PAR WFL	575w	G099		153	(48)
12	string 1	CXI IT color mix	575w			527	(48)
12	string 2	CXI IT color mix	575w			528	(48)
13	UC BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		154	(73)
14	BAX MRC	SOURCE FOUR PAR WFL	575w	G099		155	(49)
14	string 2	CXI IT color mix	575w			530	(49)
14	string 1	CXI IT color mix	575w			529	(49)
15	URC BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		156	(74)
16	\> DL DIAG BAX	SOURCE FOUR 50	575w	R119		157	(32)
17	\> DC DIAG BAX	SOURCE FOUR 50	575w	R119		157	(32)
18	\> DR DIAG BAX	SOURCE FOUR 50	575w	R119		157	(32)
19	BAX MR	SOURCE FOUR PAR WFL	575w	G099		158	(50)
19	string 2	CXI IT color mix	575w			532	(50)
19	string 1	CXI IT color mix	575w			531	(50)
20	UR BLUE DOWN	SOURCE FOUR 50	575w	LHT079+R119		159	(75)
21	\> UL WARM	SOURCE FOUR 36	575w	R17+R119		160	(98)
22	\> UL COOL	SOURCE FOUR 36	575w	L161+R119		161	(88)
23	\> UR WARM	SOURCE FOUR 36	575w	R17+R119		160	(98)
24	\> UR COOL	SOURCE FOUR 36	575w	L161+R119		161	(88)

5 ELEC

U	Purpose	Type & Accessories	W	Color	Tmpl	Di	Chn
1	BAX UL	SOURCE FOUR PAR WFL	575w	G099		164	(51)
1	string 2	CXI IT color mix	575w			534	(51)
1	string 1	CXI IT color mix	575w			533	(51)
2	</ UL DIAG BAX	SOURCE FOUR 50	575w	R119		166	(33)
3	/> UC DIAG BAX	SOURCE FOUR 50	575w	R119		166	(33)
4	/> UR DIAG BAX	SOURCE FOUR 50	575w	R119		166	(33)
5	BAX ULC	SOURCE FOUR PAR WFL	575w	G099		167	(52)
5	string 1	CXI IT color mix	575w			535	(52)
5	string 2	CXI IT color mix	575w			536	(52)
6	UL BAX SPCL	SOURCE FOUR 36	575w	NC		168	(110)
7	BAX UC	SOURCE FOUR PAR WFL	575w	G099		170	(53)
7	string 2	CXI IT color mix	575w			538	(53)
7	string 1	CXI IT color mix	575w			537	(53)
8	UC SPCL	SOURCE FOUR 36	575w	NC		171	(111)
9	BAX URC	SOURCE FOUR PAR WFL	575w	G099		173	(54)
9	string 1	CXI IT color mix	575w			539	(54)
9	string 2	CXI IT color mix	575w			540	(54)
10	UR SPCL	SOURCE FOUR 36	575w	NC		174	(112)
11	\> UL DIAG BAX	SOURCE FOUR 50	575w	R119		175	(34)
12	\> UR DIAG BAX	SOURCE FOUR 50	575w	R119		175	(34)
13	\> UC DIAG BAX	SOURCE FOUR 50	575w	R119		175	(34)
14	BAX UR	SOURCE FOUR PAR WFL	575w	G099		176	(55)
14	string 2	CXI IT color mix	575w			542	(55)
14	string 1	CXI IT color mix	575w			541	(55)

6 ELEC

U	Purpose	Type & Accessories	W	Color	Tmpl	Di	Chn
1	STAGE WORKS	FAR CYC	1kw	NC		192	(204)
2	BLUE CYC	Colortran FAR CYC	1kw	LHT079		181	(121)
3	GREEN CYC	Colortran FAR CYC	1kw	R91		182	(122)
4	RED CYC	Colortran FAR CYC	1kw	R26		183	(123)
5	BLUE CYC	Colortran FAR CYC	1kw	LHT079		181	(121)
6	GREEN CYC	Colortran FAR CYC	1kw	R91		182	(122)
7	RED CYC	Colortran FAR CYC	1kw	R26		183	(123)
8	BLUE CYC	Colortran FAR CYC	1kw	LHT079		184	(121)
9	GREEN CYC	Colortran FAR CYC	1kw	R91		185	(122)
10	RED CYC	Colortran FAR CYC	1kw	R26		186	(123)
11	BLUE CYC	Colortran FAR CYC	1kw	LHT079		184	(121)
12	GREEN CYC	Colortran FAR CYC	1kw	R91		185	(122)
13	RED CYC	Colortran FAR CYC	1kw	R26		186	(123)
14	BLUE CYC	Colortran FAR CYC	1kw	LHT079		187	(121)
15	GREEN CYC	Colortran FAR CYC	1kw	R91		189	(122)
16	RED CYC	Colortran FAR CYC	1kw	R26		190	(123)
17	BLUE CYC	Colortran FAR CYC	1kw	LHT079		187	(121)
18	GREEN CYC	Colortran FAR CYC	1kw	R91		189	(122)
19	RED CYC	Colortran FAR CYC	1kw	R26		190	(123)
20	STAGE WORKS	FAR CYC	1kw	NC		193	(204)

7 ELEC

U	Purpose	Type & Accessories	W	Color	Tmpl	Di	Chn
1	RED CYC	Colortran FAR CYC	1kw	R26		194	(123)
2	PURPLE CYC	Colortran FAR CYC	1kw	L181		195	(124)
3	BLUE CYC	Colortran FAR CYC	1kw	LHT079		196	(121)
4	RED CYC	Colortran FAR CYC	1kw	R26		194	(123)
5	PURPLE CYC	Colortran FAR CYC	1kw	L181		195	(124)
6	BLUE CYC	Colortran FAR CYC	1kw	LHT079		196	(121)
7	RED CYC	Colortran FAR CYC	1kw	R26		197	(123)
8	PURPLE CYC	Colortran FAR CYC	1kw	L181		198	(124)
9	BLUE CYC	Colortran FAR CYC	1kw	LHT079		199	(121)
10	RED CYC	Colortran FAR CYC	1kw	R26		197	(123)
11	PURPLE CYC	Colortran FAR CYC	1kw	L181		198	(124)
12	BLUE CYC	Colortran FAR CYC	1kw	LHT079		199	(121)
13	RED CYC	Colortran FAR CYC	1kw	R26		200	(123)
14	PURPLE CYC	Colortran FAR CYC	1kw	L181		201	(124)
15	BLUE CYC	Colortran FAR CYC	1kw	LHT079		202	(121)
16	RED CYC	Colortran FAR CYC	1kw	R26		200	(123)
17	PURPLE CYC	Colortran FAR CYC	1kw	L181		201	(124)
18	BLUE CYC	Colortran FAR CYC	1kw	LHT079		202	(121)