

3 CAT

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	TEMP WASH	SOURCE FOUR 50+-	575w	N/C	R238-221	4	(122)
2	TEMP WASH	SOURCE FOUR 50+-	575w	N/C	R238-221	5	(121)
3	TEMP WASH	SOURCE FOUR 50+-	575w	N/C	R238-221	6	(123)
4	CLR FRONT DL	SOURCE FOUR 26+-	575w	R119		7	(1)
5	COOL FRONT DL	SOURCE FOUR 26+-	575w	L202 + R119		8	(21)
6	DL SPCL	SOURCE FOUR 19	575w	N/C		9	(101)
7	CLR FRONT DLC	SOURCE FOUR 26+-	575w	R119		10	(2)
8	COOL FRONT DLC	SOURCE FOUR 26+-	575w	L202 + R119		11	(22)
9	DC SPCL	SOURCE FOUR 19	575w	N/C		12	(102)
10	CLR FRONT DC	SOURCE FOUR 26+-	575w	R119		13	(3)
11	COOL FRONT DC	SOURCE FOUR 26+-	575w	L202 + R119		14	(23)
12	CLR FRONT DRC	SOURCE FOUR 26+-	575w	R119		16	(4)
13	COOL FRONT DRC	SOURCE FOUR 26+-	575w	L202 + R119		17	(24)
14	DR SPCL	SOURCE FOUR 19	575w	N/C		18	(103)
15	CLR FRONT DR	SOURCE FOUR 26+-	575w	R119		19	(5)
16	COOL FRONT DRC	SOURCE FOUR 26+-	575w	L202 + R119		20	(25)
17	TEMP WASH	SOURCE FOUR 50+-	575w	N/C	DHAB99657	22	(124)
18	TEMP WASH	SOURCE FOUR 50+-	575w	N/C	DHAB99657	23	(125)
19	TEMP WASH	SOURCE FOUR 50+-	575w	N/C	DHAB99657	24	(126)

2 CAT DS

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	HOUSE WORKS HR	FAR CYC	1kw	N/C		2	(201)
2	HOUSE WORKS HR	FAR CYC	1kw	N/C		2	(201)
3	HOUSE WORKS C	FAR CYC	1kw	N/C		35	(201)
4	HOUSE WORKS HL	FAR CYC	1kw	N/C		25	(201)
5	HOUSE WORKS HL	FAR CYC	1kw	N/C		25	(201)

2 CAT US

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	CLR FRONT ML	SOURCE FOUR 26+-	575w	R119		28	(6)
2	STAGE WORKS SL	FAR CYC	1kw	N/C		29	(202)
3	COOL FRONT ML	SOURCE FOUR 26+-	575w	L202 + R119		30	(26)
4	TPAC GOBO	SOURCE FOUR 19	575w	R44	CUSTOM	34	(113)
5	ML SPCL	SOURCE FOUR 19	575w	N/C		31	(104)
6	CLR FRONT MLC	SOURCE FOUR 26+-	575w	R119		32	(7)
7	COOL FRONT MLC	SOURCE FOUR 26+-	575w	L202 + R119		33	(27)
8	CLR FRONT MC	SOURCE FOUR 26+-	575w	R119		36	(8)
9	COOL FRONT MC	SOURCE FOUR 26+-	575w	L202 + R119		37	(28)
10	MC SPCL	SOURCE FOUR 19	575w	N/C		38	(105)
11	STAGE WORKS C	FAR CYC	1kw	N/C		39	(202)
12	CLR FRONT MRC	SOURCE FOUR 26+-	575w	R119		40	(9)
13	COOL FRONT MRC	SOURCE FOUR 26+-	575w	L202 + R119		41	(29)
14	MR SPCL	SOURCE FOUR 19	575w	N/C		42	(106)
15	TPAC GOBO	SOURCE FOUR 19	575w	R44	CUSTOM	34	(113)
16	STAGE WORKS SR	FAR CYC	1kw	N/C		43	(202)
17	CLR FRONT MR	SOURCE FOUR 26+-	575w	R119		44	(10)
18	COOL FRONT MR	SOURCE FOUR 26+-	575w	L202 + R119		45	(30)

A PIPE

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	</ WARM DL	SOURCE FOUR 26+-	575w	R17+ R119		51	(91)
2	</ WARM DC	SOURCE FOUR 36	575w	R17+ R119		51	(91)
3	</ WARM DR	SOURCE FOUR 36+-	575w	R17+ R119		51	(91)
4	</ COOL DR	SOURCE FOUR 26+-	575w	L161+R119		52	(81)
5	</ COOL DC	SOURCE FOUR 36+-	575w	L161+R119		52	(81)
6	</ COOL DL	SOURCE FOUR 36+-	575w	L161+R119		52	(81)
7	STAGE WORKS FSL	FAR CYC	1kw	N/C		1	(202)
8	HOUSE WORKS FHR	FAR CYC	1kw	N/C		3	(201)

B PIPE

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	↳ WARM DL	SOURCE FOUR 26+-	575w	R17+ R119		81	(95)
2	↳ WARM DC	SOURCE FOUR 36+-	575w	R17+ R119		81	(95)
3	↳ WARM DR	SOURCE FOUR 36+-	575w	R17+ R119		81	(95)
4	↳ COOL DL	SOURCE FOUR 26+-	575w	L161+R119		82	(85)
5	↳ COOL DC	SOURCE FOUR 36+-	575w	L161+R119		82	(85)
6	↳ COOL DR	SOURCE FOUR 36+-	575w	L161+R119		82	(85)
7	HOUSE WORKS FHL	FAR CYC	1kw	N/C		26	(201)

1 CAT DS

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	BLUE DOWN DL	SOURCE FOUR PAR WFL+-	575w	LHT079		48	(61)
2	BLUE DOWN DLC	SOURCE FOUR PAR WFL+-	575w	LHT079		50	(62)
3	BLUE DOWN DRC	SOURCE FOUR PAR WFL+-	575w	LHT079		55	(64)
4	BLUE DOWN DC	SOURCE FOUR PAR WFL+-	575w	LHT079		58	(63)
5	BLUE DOWN DR	SOURCE FOUR PAR WFL	575w	LHT079		53	(65)

1 CAT US

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	</ WARM MR	SOURCE FOUR 26+-	575w	R17+ R119		59	(92)
2	</ WARM MC	SOURCE FOUR 36+-	575w	R17+ R119		59	(92)
3	</ WARM ML	SOURCE FOUR 36+-	575w	R17+ R119		59	(92)
4	</ COOL MR	SOURCE FOUR 26+-	575w	L161+R119		60	(82)
5	</ COOL MC	SOURCE FOUR 36+-	575w	L161+R119		60	(82)
6	</ COOL ML	SOURCE FOUR 36+-	575w	L161+R119		60	(82)
7	CLR FRONT UL	SOURCE FOUR 36+-	575w	R119		61	(11)
8	BLUE DOWN ML	SOURCE FOUR PAR WFL+-	575w	LHT079		62	(66)
9	COOL FRONT UL	SOURCE FOUR 36+-	575w	L202 + R119		63	(31)
10	UL SPCL	SOURCE FOUR 36	575w	N/C		64	(107)
11	CLR FRONT ULC	SOURCE FOUR 36+-	575w	R119		65	(12)
12	BLUE DOWN MLC	SOURCE FOUR PAR WFL+-	575w	LHT079		66	(67)
13	COOL FRONT ULC	SOURCE FOUR 26+-	575w	L202 + R119		67	(32)
14	UC SPCL	SOURCE FOUR 36	575w	N/C		68	(108)
15	CLR FRONT UC	SOURCE FOUR 36+-	575w	R119		69	(13)
16	BLUE DOWN MC	SOURCE FOUR PAR WFL+-	575w	LHT079		70	(68)
17	COOL FRONT UC	SOURCE FOUR 36+-	575w	L202 + R119		71	(33)
18	CLR FRONT URC	SOURCE FOUR 36+-	575w	R119		72	(14)
19	BLUE DOWN MRC	SOURCE FOUR PAR WFL+-	575w	LHT079		73	(69)
20	COOL FRONT URC	SOURCE FOUR 36+-	575w	L202 + R119		74	(34)
21	UR SPCL	SOURCE FOUR 36	575w	N/C		75	(109)
22	CLR FRONT UR	SOURCE FOUR 36+-	575w	R119		76	(15)
23	BLUE DOWN MR	SOURCE FOUR PAR WFL+-	575w	LHT079		77	(70)
24	COOL FRONT URC	SOURCE FOUR 36+-	575w	L202 + R119		78	(35)
25	\> COOL ML	SOURCE FOUR 26+-	575w	L161+R119		79	(86)
26	\> COOL MC	SOURCE FOUR 36+-	575w	L161+R119		79	(86)
27	\> COOL MR	SOURCE FOUR 36+-	575w	L161+R119		79	(86)
28	\> WARM ML	SOURCE FOUR 26+-	575w	R17+ R119		80	(96)
29	\> WARM MC	SOURCE FOUR 36+-	575w	R17+ R119		80	(96)
30	\> WARM MR	SOURCE FOUR 36+-	575w	R17+ R119		80	(96)

1 ELEC

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	</ WARM UL	SOURCE FOUR 36	575w	R17+ R119		83	(93)
2	</ COOL UL	SOURCE FOUR 36	575w	L161+R119		84	(83)
3	</ WARM UL	SOURCE FOUR 36	575w	R17+ R119		83	(93)
4	</ COOL UL	SOURCE FOUR 36	575w	L161+R119		84	(83)
5	CLR BAX DL	SOURCE FOUR 36	575w	R119		85	(41)
6	BAX DL	SOURCE FOUR PAR WFL	575w	G099		86	(51)
6	string 2	CXI IT color mix				514	(51)
6	string 1	CXI IT color mix				513	(51)
7	CLR BAX DL	SOURCE FOUR 36	575w	R119		91	(42)
8	BAX DL	SOURCE FOUR PAR WFL+-	575w	G099		92	(52)
8	string 1	CXI IT color mix				515	(52)
8	string 2	CXI IT color mix				516	(52)
9	CLR BAX DC	SOURCE FOUR 36	575w	R119		95	(43)
10	BAX DC	SOURCE FOUR PAR WFL+-	575w	G099		98	(53)
10	string 1	CXI IT color mix				517	(53)
10	string 2	CXI IT color mix				518	(53)
11	CLR BAX DR	SOURCE FOUR 36	575w	R119		101	(44)
12	BAX DR	SOURCE FOUR PAR WFL+-	575w	G099		102	(54)
12	string 1	CXI IT color mix				519	(54)
12	string 2	CXI IT color mix				520	(54)
13	CLR BAX DR	SOURCE FOUR 36+-	575w	R119		106	(45)
14	BAX DR	SOURCE FOUR PAR WFL	575w	G099		107	(55)
14	string 1	CXI IT color mix				521	(55)
14	string 2	CXI IT color mix				522	(55)
15	\>COOL UR	SOURCE FOUR 36+-	575w	L161+R119		111	(87)
16	\> WARM UR	SOURCE FOUR 36+-	575w	R17+ R119		112	(97)
17	\>COOL UR	SOURCE FOUR 36+-	575w	L161+R119		111	(87)
18	\> WARM UR	SOURCE FOUR 36	575w	R17+ R119		112	(97)

2 ELEC

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	</ WARM UL	SOURCE FOUR 36	575w	R17+ R119		113	(94)
2	</ COOL UL	SOURCE FOUR 36	575w	L161+R119		114	(84)
3	</ WARM UL	SOURCE FOUR 36	575w	R17+ R119		113	(94)
4	</ COOL UL	SOURCE FOUR 36	575w	L161+R119		114	(84)
5	BLUE DOWN UL	SOURCE FOUR PAR WFL	575w	LHT079		115	(71)
6	CLR BAX UL	SOURCE FOUR 36	575w	R119		116	(46)
7	BAX UL	SOURCE FOUR PAR WFL+-	575w	G099		117	(56)
7	string 1	CXI IT color mix				523	(56)
7	string 2	CXI IT color mix				524	(56)
8	BLUE DOWN ULC	SOURCE FOUR PAR WFL+-	575w	LHT079		118	(72)
9	CLR BAX ULC	SOURCE FOUR 36	575w	R119		119	(47)
10	BAX ULC	SOURCE FOUR PAR WFL	575w	G099		120	(57)
10	string 1	CXI IT color mix				525	(57)
10	string 2	CXI IT color mix				526	(57)
11	CLR BAX UC	SOURCE FOUR 36	575w	R119		122	(48)
12	BLUE DOWN UC	SOURCE FOUR PAR WFL	575w	LHT079		123	(73)
13	BAX UC	SOURCE FOUR PAR WFL	575w	G099		124	(58)
13	string 2	CXI IT color mix				528	(58)
13	string 1	CXI IT color mix				527	(58)
14	CLEAR BAX UR	SOURCE FOUR 36	575w	R119		125	(49)
15	BAX URC	SOURCE FOUR PAR WFL	575w	G099		126	(59)
15	string 2	CXI IT color mix				530	(59)
15	string 1	CXI IT color mix				529	(59)
16	BLUE DOWN URC	SOURCE FOUR PAR WFL	575w	LHT079		127	(74)
17	CLEAR BAX UR	SOURCE FOUR 36	575w	R119		129	(50)
18	BAX UR	SOURCE FOUR PAR WFL	575w	G099		131	(60)
18	string 1	CXI IT color mix				531	(60)
18	string 2	CXI IT color mix				532	(60)
19	BLUE DOWN UR	SOURCE FOUR PAR WFL	575w	LHT079		128	(75)
20	\> COOL UR	SOURCE FOUR 36	575w	L161+R119		130	(88)
21	\> WARM UR	SOURCE FOUR 36	575w	R17+ R119		132	(98)
22	\> COOL UR	SOURCE FOUR 36+-	575w	L161+R119		130	(88)
23	\> WARM UR	SOURCE FOUR 36	575w	R17+ R119		132	(98)

3 ELEC

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
1	BLUE DOWN FUL	6" FRESNEL	750w	LHT079		135	(76)
2	UL BAX SPCL	SOURCE FOUR 36	575w	NC		136	(110)
3	BLUE DOWN FULC	6" FRESNEL	750w	LHT079		138	(77)
4	US BAX SPCL	SOURCE FOUR 36	575w	NC		137	(111)
5	BLUE DOWN FUC	6" FRESNEL	750w	LHT079		139	(78)
6	BLUE DOWN FURC	6" FRESNEL	750w	LHT079		141	(79)
7	UR BAX SPCL	SOURCE FOUR 36	575w	NC		140	(112)
8	BLUE DOWN FUR	6" FRESNEL	750w	LHT079		142	(80)

Items WITHOUT Position:

U	Purpose	Type & Accessories	W	Color	Template	Di	Chn
	HOUSE LIGHT	+-				291	(210)
	HOUSE LIGHT	+-				294	(210)
	HOUSE LIGHT					293	(210)
	HOUSE LIGHT	+-				289	(210)
	HOUSE LIGHT					290	(210)
	HOUSE LIGHT					292	(210)
	HOUSE LIGHT					295	(210)
	HOUSE LIGHT	+-				296	(210)
	HOUSE LIGHT	+-				297	(210)
	HOUSE LIGHT	+-				298	(210)